

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(hypothesis hypotheses) near ((lost damage damaged defective error) near (data bit-stream "bit stream" bit bits "data stream"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/14 14:49
S2	9	(hypothesis hypotheses) with ((lost damage damaged defective error) near (data bit-stream "bit stream" bit bits "data stream"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/14 14:53
S3	863	(hypothesis hypotheses) same (((lost damage damaged defective error) near (data bit-stream "bit stream" bit bits "data stream"))) error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 11:17
S4	57	(hypothesis hypotheses) near (lost damage damaged defective error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 09:09
S5	2	"5712957".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/14 15:08
S6	2	"5855000".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/14 15:08
S7	671	(hypothesis hypotheses) with (lost damage damaged defective error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 09:12
S8	42	714/760.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 09:20
S9	48	((hypothesis hypotheses) with ((lost damage damaged defective error) and (score scores weight weights)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 09:19
S10	0	714/760.ccls. and (((hypothesis hypotheses) with ((lost damage damaged defective error) and (score scores weight weights))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 09:20

S11	273	((hypothesis hypotheses) same (((lost damage damaged defective error) near (data bit-stream "bit stream" bit bits "data stream")) error)) and (image pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/04/15 11:20
S12	276	(hypoth\$5) with (data and (encod\$3 cod\$3 decod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 15:52
S13	14	(hypoth\$5) with (data and (encod\$3 cod\$3 decod\$3) and (image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 16:06
S14	1	((hypoth\$5) with (data and (encod\$3 cod\$3 decod\$3) and (image))) same error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 15:53
S15	33	(hypoth\$5) with (data and (encod\$3 cod\$3 decod\$3)) same error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 15:53
S16	33	((hypoth\$5) with (data and (encod\$3 cod\$3 decod\$3))) same error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 15:53
S17	1	"839416"	US-PGPUB	OR	ON	2004/03/09 16:06
S18	122	(hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:39
S19	1	scores with hypoth\$4 with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:08
S20	1	error with (hypoth\$4) with (lost damage damaged defective) with (data bit-stream "bit stream" bit bits "data stream")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:09
S21	1	error\$3 with (hypoth\$4) with (lost damage damaged defective) with (data bit-stream "bit stream" bit bits "data stream")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:09

S22	1	(error\$2 defect\$3) with (hypoth\$4) with (lost damage damaged defective) with (data bit-stream "bit stream" bit bits "data stream")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:21
S23	13	(generat\$3 construct\$3) near (score\$2 hypoth\$5) near (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:38
S24	33	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:39
S25	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:40
S26	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/712.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:40
S27	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:41

S28	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/746.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:41
S29	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/747.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:41
S30	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/751.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:41
S31	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/758.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:41
S32	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 714/799.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42

S33	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42
S34	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/234.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42
S35	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/276.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42
S36	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/251.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42
S37	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42

S38	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:42
S39	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/181.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:43
S40	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 382/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:43
S41	23	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm. and 345/625.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:43
S42	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ti. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).ab. ((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")).clm.) and 345/625.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:44

S43	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 714/799.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:44
S44	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 714/724.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:44
S45	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 714/751.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S46	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/181.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S47	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S48	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S49	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/234.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S50	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/251.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S51	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/276.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:45
S52	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 345/625.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46

S53	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 345/501.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S54	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 345/643.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S55	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 356/5.04.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S56	1	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 707/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S57	1	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 382/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S58	1	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 714/712.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:52
S59	1	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 714/746.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S60	122	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:47
S61	0	((hypoth\$4) with (lost damage damaged defective error) with (data bit-stream "bit stream" bit bits "data stream")) and 714/774.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:52
S63	8610	((encod\$3 cod\$3).near (image) near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:07

S64	1043	((encod\$3 cod\$3) near (image) near data) and (data near (error recover\$3 correct\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:07
S65	82	((((encod\$3 cod\$3) near (image) near data) and (data near (error recover\$3 correct\$3))))ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:08
S66	4	((((encod\$3 cod\$3) near (image) near data) and (data near (error recover\$3 correct\$3))) and ((generat\$3 determin\$3) with (scores)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:08
S67	1	((((encod\$3 cod\$3) near (image) near data) and (data near (error recover\$3 correct\$3))) and (hypothesis hypotheses) and (scores))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:09
S68	1	(hypothesis hypotheses) near (lost damage damaged defective error) near (data bit-stream "bit stream" bit bits "data stream")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:34
S69	1	((hypothesis hypotheses) near (lost damage damaged defective error) near (data bit-stream "bit stream" bit bits "data stream")) and (hypothesis hypotheses lost damage damaged defective error data bit-stream bit stream bit bits data stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:35
S70	0	(conver\$5) near ("LASAR" and ("L200" ("L" near series)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:25
S71	0	("LASAR" and ("L200" ("L" near series)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:25
S72	0	("LASAR" and "L200")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:26

S73	387	("LASAR")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:26
S74	12	("LASAR").ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:26
S75	0	("LASAR") near conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:26
S76	1	("LASAR") with conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:40
S77	441	(computer near language) with conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:40
S78	338	(computer adj language) with conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:40
S79	45	(computer adj language) near conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 11:40
S80	2	"5577053".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:45